

Sigrity2023 软件快速安装手册

- · · · · · ·
-



Sigrity2023 软件快速安装手册

1.	软硬件需求	p.3
2.	安装前准备与注意事项	p.3
3.	<u>软件来源</u>	p.5
4.	软件授权服务器端安装与设定	p.6
5.	用户软件安装及 License 链接设定 ········	p.11
6.	<u>疑难解答</u>	p.16

2raser

- · Date: 2023/08/18
- Author: Chen Yun
- Revision: 1
- Version : Sigrity2023
- ・備註:



https://www.graser.com.cn

软硬件需求

Windows

操作系统:

Sigrity2023 仅支持以下操作系统

- Windows 10 (64-bit)
- Windows 2016 Server (All service packs)
- Windows 2019 Server

硬件规格:

- x86_64 Compatible (includes P4 EMT and AMD Opteron[™])
- 8 GB RAM
- Virtual memory at least twice physical memory 50 GB free disk space
- 1,024 x 768 display resolution with true color (16bit color)
- Broadband Internet connection for some service
- Ethernet card (for network communications and security hostID)
- Three-button Microsoft-compatible mouse

安装前准备与注意事项

软件授权机制认证对象

- 软件在使用时必须向授权服务器取得用户许可证,服务器在启动授权服务时必须核对授权License档案 的内容与认证对象是否一致,如果License与网卡或硬件锁号码不一致,将无法启动授权作业提供服务。
- 2. 授权对象为硬设备,主要有以下两种:
 - 2.1 网络卡的实体卡号 (MAC Address)。
 - 2.2 硬件锁 (Dongle Key) · 如下图所示



Note:

现阶段仅提供 USB 硬件锁服务,如果贵公司还在使用旧型 parallel port 型式的硬件锁,请速向敝公司业务单位洽询购买新式 USB 硬件锁及 Re-Host 的服务。

arase

Note :

- 在Windows server 不能以 Windows Remote Desktop (类似终端机)的方式执行。
- 不支援Windows RT 及 Tablets。
- 计算机名称不允许使用中文名称或带空格数据。
- 网络卡认证不支持虚拟环境。



软件进行安装前用户帐户注意事项:

 请确认所登入的账号拥有本机完整的 Administrator 管理者的操作权限(All user Mode) ·若是安装 在Windows7 (或以上)操作系统中·请先将用户帐户控制设定(UAC) 调降至最低·避免安装过程中有 太多的提示警讯而干扰安装作业。





- **2**. 请将已经安装在操作系统中的防病毒软件及防火墙暂时关闭,以免影响程序的执行与设定。
 - 如果所购买的软件版本的 License 的认证对象是 USB 硬件锁,请勿先将 USB 硬件锁插上您计算机 上的 USB 插槽。因为操作系统内建的驱动程序版本较旧,使得硬件锁无法顺利安装,您仍需要在稍后 利用安装路径下的新附带驱动程序进行补安装作业。

4raser





软件来源

Sigrity2023 若是"完全安装"需要安装以下套件:

- 1 OrCAD/Allegro 22.1 (SPB22.1)。(Sigrity 的 Aurora/Topology Explorer 及 Allegro 界面)
- 2 Sigrity2023。(Sigrity 各项主程序及套装如 PowerDC/SystemSI/Clarity/Celsius/...)

取得方式

1. Cadence 官方网站下载专区进行 Sigrity2023 版本软件的下载及安装。



Grasel

Grasen

Note :

■ 要执行 Sigrity 2023 您必须安装最新的 Cadence License Manager 22.01 (FLEXnet License Manager version 11.17.1.0 或更新),并搭配新的 License。



软件授权服务器端安装与设定

License Manager

1 Installation

1.1 解压缩后,点选 setup.exe。

	60
Base_SIG23.10.000_wint_1of2.zip	名稱
> 📜 AutoPlay	📙 AutoPlay
> 📙 Disk1	📙 Disk1
	🔬 autorun.inf
	setup.exe
	🕤 setup.ini

1.2 点选 License Manager。

Grasel



Graser

1.3 确认 License Manager 为 20.01 版后,点选 Next。

dence License Manager 20.0	1-s002 - InstallShield Wizard		×
-			
	Welcome to the InstallShi	eld Wizard for Cadence	-15
	License Manager 20.01-s	DO2	135EI
			ara
	The InstallShield Wizard will in 20.01-s002 on vour computer.	nstall Cadence License Manager To continue, click Next.	6.0
			61
			SEP
			12
			6673
			GI
			7.
			93
		News	68350
	< <u>B</u> ack	Next > Cancel	G
R	· · · · · · · · · · · · · · · · · · ·	-350.	
	}#+×	f the line are served	
1.4 阅读元软件合约	,远择 I accept the terms o	of the license agreement	后,只远 Next。如果个
同意则无法进入	下一个步骤。		
	GEI		Gre
idence License Manager	20.01-s002 - InstallShield	Wizard	×
License Agreement		- - 6	0
Please read the following lic	ense agreement carefully.	cadence	
			3561
			. If a
CADENCE DESIGN SYSTEMS	3, INC. SOFTWARE LICENSE AND	MAINTENANCE	Gré
AGREEMENT			C.
THIS SOFTWARE LICENSE	AND MAINTENANCE AGREEMENT	("AGREEMENT") IS A	
("CADENCE"). PLEASE REAL) THIS AGREEMENT CAREFULLY	BEFORE INSTALLING YOUR	5El°
CADENCE SOFTWARE ("SO	FTWARE"). BY USING THE SOFT	WARE, YOU (EITHER AN	1
AGREEMENT. IF YOU DO NO	T WANT TO BE BOUND BY THE	TERMS OF THIS	6535
AGREEMENT, CADENCE IS	JNWILLING TO LICENSE THE SOF	TWARE TO YOU, IN	(C)
ACCOMPANYING ITEMS (IN	CLUDING MANUALS, BINDERS OF	ARE AND ALL R OTHER CONTAINERS.	
			l°
I accept the terms of the	license agreement	Print	73-
○ I <u>d</u> o not accept the terms	s of the license agreement		crast.
tallShield			01
	< Pack	Next > Cancel	
13		Gro	GER
			C ¹

Grase

	Next •				
	355	- 10		Gra	
Cadence License Manager 20.01-s	002 - InstallShie	ld Wizard	×		
Choose Destination Location		(2)	lonco [®]		
Select folder where setup will install	tiles.		rence	E a a SEI	
Install Cadence License Ma	nager 20 01-s002 to	0.		GIT	
C:\Cadence\LicenseManag	er		Change		
				3561.	
				6	
				G	
				EL	
				25	
nstallShield				Gra	
	< Pack	Novt	Cancol		
		<u> </u>	Calicel		
	·				
1.6 确认安装项目为 Licens	Ing 后,点选 Ne	ext •			
1.6 确认安装坝目为 Licens	ING 后 · 点选 Ne	ext •	×	Gran	
1.6 确认安装坝目为 Licensi	ing 后·点选 Ne 002 - InstallShie	ext。 Id Wizard	×	Gran	
1.6 确认安装坝目为 Licensi Cadence License Manager 20.01-si Select Features Select the features setup will install.	Ing 后·点选 Ne	ext。 Id Wizard	× 1 e n c e°	Gran	
1.6 确认安装坝目为 License Cadence License Manager 20.01-si Select Features Select the features setup will install.	Ing 后 · 点选 Ne	ext。 Id Wizard Ca C	× lence®	Graser	
1.6 确认安装项目为 License Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal	Ing 后 · 点选 Ne 002 - InstallShie	ext。 Id Wizard CāC	× lence®	Graser	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal	Ing 后 · 点选 Ne	ext • Id Wizard C a C features you do not Description	× ence®	Graser	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal	Ing 后 · 点选 Ne 002 - InstallShie	ext • Id Wizard C ā C features you do not Description Licensing Produc	× i e n c e® : want to install. t	Graser	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal	Ing 后 · 点选 Ne 002 - InstallShie	ext • Id Wizard C ā C features you do not Description Licensing Produc	× I e n c e[®] : want to install. t	Graser	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install.	Ing 后 · 点选 Ne	ext • Id Wizard CāC features you do not Description Licensing Produc	× I e n c e® : want to install. t	Graser	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal	Ing 后 · 点选 Ne	ext • Id Wizard CāC features you do not Description Licensing Produc	× t want to install.	Graser aser Gr	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal	Ing 后 · 点选 Ne	ext • Id Wizard C a C features you do not Description Licensing Produc	× I ence® : want to install.	Graser Graser Graser Graser Gr	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal	Ing 后 · 点选 Ne 002 - InstallShie I, and deselect the f	ext • Id Wizard C a C features you do not Description Licensing Produc	× I ence® : want to install.	Graser Graser Graser Graser Graser	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal	Ing 后 · 点选 Ne 002 - InstallShie I, and deselect the f I and deselect the f C drive e C drive	ext • Id Wizard C ā C features you do not Description Licensing Produc	× I ence®	Graser Graser Grase Gras	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal └──✔ Licensing 172.79 MB of space required on the O 36519.06 MB of space available on the	Ing 后 · 点选 Ne 002 - InstallShie I, and deselect the f	ext • Id Wizard C a C features you do not Description Licensing Produc	x want to install.	Graser Graser Grase Gras	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal Licensing	Ing 后 · 点选 Ne 002 - InstallShie I, and deselect the f I, and deselect the f C drive e C drive < <u>B</u> ack	ext • Id Wizard C a C features you do not Description Licensing Produc	x want to install.	Graser Graser Grase Gras	
1.6 确认安装项目为 Licensis Cadence License Manager 20.01-si Select Features Select the features setup will install. Select the features you want to instal □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	Ing 后、点选 Ne 002 - InstallShie I, and deselect the f I, and deselect the f C drive e C drive e C drive	ext • Id Wizard CaC	x want to install.	Graser Graser Graser Gras	



1.7 确认上述步骤无误后,点选 Install。

🚜 Cadence License Server Configuration - Version 1.0.11.0

License File Location

c	ā	d	e	n	c	e	
						-	-

Cancel

Х

9 356

cādence[®]

Next >

Specify the location of the license file that you had received from Cadence, then dick Next.
License File
Browse...

Help

1.8 指定所要使用的软件许可证文件(License File)后,点选 Next。

Cadence License Manager 20.01-s002 - InstallShield Wizard

Ready to Install the Program

The wizard is ready to begin installation.

Click Install to begin the installation.

If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard.

stallShield ——				
		< <u>B</u> ack	Install	Cancel
	6-0-5-			

- 1.9 设定 License Server 所需相关环境,系统会主动套用主机名及设定 License Server 所使用的 通讯端口及主机名等相关讯息后,点选 Next。
- Port Number → Cadence 软件产品内定皆为使用 5280 通讯端口
- Host Name → 主机名 (请注意不能有中文或空格,否则建议改用您的固定 IP,如 192.168.1.199)
- Log File → License Manager 的讯息文件名内定为 debug.log
- Options File → 外挂宣告档(一般不用设定)



■ Vender Daemon Port Number → 指定另一个 Port Number(一般不用设定)

🚜 Cadence License Server Configuration

License Server Data

cādence

Specify the license server information in the fields below, then click Next. License Server Port Number: Host Name: Host ID:

5280	Chenyun-T430s	8434	4B306A7C
Log File: C:\Cad	ence\LicenseManager\de	bug.log	Browse
Optional			
Options File:			Browse
Vendor Daemor	n Port Number: 3000		

< Back

Help

1.10 安装成功,出现 successfully 等字眼后,点选 Finish。

Next >

🚜 Cadence License Server Configuration

Configuration Status

cādence

Cancel

- Cadence License Server started successfully with the new license file 'C:\Cadence \LicenseManager\license.dat'.

The new license server setting '5280@Chenyun-T430s' was successfully added to your
CDS_LIC_FILE license path environment variable.

Click Finish to exit the Cadence License Server Configuration utility.

Note :

■ 如果出现 Fail 画面 · 须用手动方式设定 License · 请参考疑难解答 → <u>人工设定 License Server</u> 操作 步骤。

View Log

Finish



用户软件安装及 License 链接设定 Graser

Product Installation

Note:

- 建议您将防病毒软件关闭,让程序可以顺利安装。
- Installation
 - 解压缩后,点选 setup.exe。 1.1



Graser 1.2 点选 Product Installation。

THE FOLLOWING CADENC	E PRODUCT	6		
COMPONENTS ARE AVAIL PLEASE SELECT ONE TO IN	ABLE ISTALL	cāden (ce° graser	
License Manager Product Installation	→	Installs the Cadence License Manager. Install the License Manager first to ensu latest version.	ire the	
Client Installation	~			
Installation Guide Release Notes	→ →			
Exit	3		5EP	

Grasel



1.3 确认版本为 Sigrity2023 版后 · 点选 Next。



 1.4 阅读完软件合约,选择 I accept the terms of the license agreement 后,点选 Next。如果不同 意则无法进入下一个步骤。

Cadence Systems Analysis Sigrity 2023.1	
License Agreement Please read the following license agreement carefully. Cādence	
CADENCE DESIGN SYSTEMS, INC. SOFTWARE LICENSE AND MAINTENANCE AGREEMENT THIS SOFTWARE LICENSE AND MAINTENANCE AGREEMENT ("AGREEMENT") IS A LEGAL DOCUMENT BETWEEN YOU AND CADENCE DESIGN SYSTEMS, INC. ("CADENCE"). PLEASE READ THIS AGREEMENT CAREFULLY BEFORE INSTALLING YOUR CADENCE SOFTWARE ("SOFTWARE"). BY USING THE SOFTWARE, YOU (EITHER AN INDIVIDUAL OR A BUSINESS ENTITY) AGREE TO BE BOUND BY THE TERMS OF THIS AGREEMENT. IF YOU DO NOT WANT TO BE BOUND BY THE TERMS OF THIS AGREEMENT, CADENCE IS UNWILLING TO LICENSE THE SOFTWARE TO YOU, IN WHICH EVENT YOU MUST PROMPTLY RETURN THE SOFTWARE AND ALL ACCOMPANYING ITEMS (INCLUDING MANUALS, BINDERS OR OTHER CONTAINERS,	
I <u>d</u> o not accept the terms of the license agreement	
InstallShield <u>Rext > Cancel</u>	
Grasel Gr	

Grast

1.5	选择 Complete,点选 Next。
	1032

Cadence System	s Analysis Sigrity 2023.1	×	l
Setup Type			1
Select the setu	p type that best suits your needs.	cādence	
Please select	a setup type.		6
© <u>Complete</u>	All program features will be installed. (Requires the Space Required: 19.56 GB	most disk space.)	C
() Cu <u>s</u> tom	Select which program features you want installed. R users.	ecommended for advanced	ara
nstallShield			3561
	< <u>B</u> ack	Next > Cancel	

若您是勾选 Custom,请透过 Bowser 键来选择安装项目控制文件 Control file,需要有 Control_xxxxxxx.TXT 的档案。

Grase

1.6 选择要安装的路径与要连接的 License Server。(如果要连接两台以上的 server · 需用分号隔开)

Cadence Syst	tems Analysis Sigrity 2023 1		
	terns / thatysis signly 202011		×
Choose De	estination Location		
Select fold	der where setup will install files.	cādence	
	Install Cadence Systems Analysis Sigrity 2 C\Cadence\Sigrity2023.1	023.1 to: <u>C</u> hange	rase
	Space Required: 19.56 GB	Space Available: 44.09 GB	
			SER
License	Path 5280@Chenyun-B9400ce		
nstallShield —			

Graser

1.7 确认要安装的软件后,点选 Install。

Start Copying Files				
Review settings before copying fil	es.	cadenc	e	
Setup has enough information to change any settings, click Back. I copying files.	start copying the program files. 1 f you are satisfied with the setting	If you want to review gs, click Next to begin	or	
Current Settings:				
 Products to install: Allegro Sigrity Package Anal Allegro Sigrity Power Aware Allegro Sigrity Power Integri Allegro Sigrity System Seria Sigrity Aurora Cadence IO-SSO Analysis Su 	ysis SI ty Signoff Link Option lite		Gre	
Celsius				
Colour Advanced DTT		× 1	* <u>1</u> 22	
stallShield				
stallShield	< <u>B</u> ack Ir	nstall Cance	el	
stallShield ————	< <u>B</u> ack Ir	nstall Cance	el	
stallShield	< <u>B</u> ack Ir	nstall Cance	el	
stallShield 1.8 安装完成后·点选	< <u>B</u> ack Ir Finish 即可。	nstall Cance	el Graser	
stallShield 1.8 安装完成后 · 点选 adence Systems Analysis Sigrity 20	< <u>B</u> ack Ir Finish 即可。	nstall Cance		
stallShield 1.8 安装完成后 · 点选 adence Systems Analysis Sigrity 20 Setue Complete	< <u>B</u> ack Ir Finish 即可。 223.1	nstall Cance	el Grasen X	
stallShield 1.8 安装完成后 · 点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help.	<u>< B</u> ack Ir Finish 即可。 223.1	nstall Cance		
stallShield 1.8 安装完成后 · 点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help.	< <u>B</u> ack Ir Finish 即可。 223.1	nstall Cance c ā d e n		
stallShield 1.8 安装完成后 · 点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help. Setup has finished installing files on y Finish.	< <u>B</u> ack Ir Finish 即可。 23.1	cāden		
stallShield 1.8 安装完成后,点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help. Setup has finished installing files on y Finish. Upgrade to License Manager 12.08	< <u>B</u> ack Ir Finish 即可。 223.1 Four computer. Select the options you protect for the installed products to wo	nstall Cance cāden u want below, then click		
stallShield 1.8 安装完成后 · 点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help. Setup has finished installing files on y Finish. Upgrade to License Manager 12.08 To use the OpenPOWER Compliance and extract it to the shared folder. For	< <u>B</u> ack Ir Finish 即可。 223.1 Four computer. Select the options you or later for the installed products to wo e Kit, download the model library from more information, refer to the OpenP	cāden uwant below, then click ork. n downloads.cadence.c OWER_readme.pdf.	el X nce som	
stallShield 1.8 安装完成后 · 点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help. Setup has finished installing files on y Finish. Upgrade to License Manager 12.08 To use the OpenPOWER Compliance and extract it to the shared folder. For	Back Ir Finish 即可。 223.1	nstall Cance c ā d e n u want below, then click ork. n downloads.cadence.c OWER_readme.pdf.	el X CCC com	
tallShield 1.8 安装完成后,点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help. Setup has finished installing files on y Finish. Upgrade to License Manager 12.08 To use the OpenPOWER Compliand and extract it to the shared folder. For	Back Ir Finish 即可。 223.1 223.1 rour computer. Select the options you or later for the installed products to wo e Kit download the model library from more information, refer to the OpenP	cāden u want below, then click ork. n downloads.cadence.c OWER_readme.pdf.	el C C C C som	
stallShield 1.8 安装完成后 · 点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help. Setup has finished installing files on y Finish. Upgrade to License Manager 12.08 To use the OpenPOWER Compliance and extract it to the shared folder. For Open Cadence Web Page Open Cadence web page for ne	Back Ir Finish 即可。 223.1 vour computer. Select the options you or later for the installed products to wo e Kit, download the model library from more information, refer to the OpenP wupdates.	nstall Cance c ā d e n u want below, then click ork. n downloads.cadence.c 'OWER_readme.pdf.	el X ICCE Som	
stallShield 1.8 安装完成后,点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help. Setup has finished installing files on y Finish. Upgrade to License Manager 12.08 To use the OpenPOWER Compliance and extract it to the shared folder. For Open Cadence Web Page Open Cadence web page for ner	Example 1 Select the options you be a select the options you be a select the options you be a select the installed products to we be the download the model library from more information, refer to the OpenPer would be a select the option of the opti	nstall Cance cāden u want below, then click ork. n downloads.cadence.c OWER_readme.pdf.	el Grassen X CCC Som	
stallShield 1.8 安装完成后 · 点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help. Setup has finished installing files on y Finish. Upgrade to License Manager 12.08 To use the OpenPOWER Compliance and extract it to the shared folder. For □ Open Cadence Web Page Open Cadence web page for ner □ Check for Updates	Example 1 Back Finish 即可。 23.1 Pour computer. Select the options you or later for the installed products to wood e Kit, download the model library from more information, refer to the OpenPerformation, refer to the OpenPerformation, refer to the OpenPerformation and the second seco	cāden u want below, then click ork. n downloads.cadence.c	el C e [*] som	
stallShield 1.8 安装完成后,点选 adence Systems Analysis Sigrity 20 Setup Complete Press F1 for help. Setup has finished installing files on y Finish. Upgrade to License Manager 12.08 To use the OpenPOWER Compliance and extract it to the shared folder. For Open Cadence Web Page Open Cadence web page for ner Check for Updates stallShield	Example 1 Select the options you be a select the options you be a select the options you be a select the installed products to we be the download the model library from more information, refer to the OpenPer wupdates.	cāden u want below, then click ork. n downloads.cadence.c OWER_readme.pdf.	el Grassen x cce som	

1.9 执行 Sigrity2023 · 选取程序集内的 Sigrity Suite Manager · 当出现如下画面时 · 代表软件已 经有正确链接到 License Server · 画面左侧中黑色字样的软件功能代表现阶段所能使用的 License Feature · 灰色文字则代表没有找到支持该功能的 License ·

Grasel

Cadence Sigrify Suite Manager – × * CAD Translators Usite Version Platform FileHame SN235P0 SN235P0 SN235P0 SN235P0 SN235P0 NDD2SPD0 OxAsscs:SP0 RE-SP0 SN235P0 CCadence(Sigrify2023.1/tools/bin/power Cabius Thermal Solver V8 231.005161.4 x64 C:Cadence(Sigrify2023.1/tools/bin/power Celsius Thermal Solver V8 231.005161.4 x64 C:Cadence(Sigrify2023.1/tools/bin/power Celsius Thermal Solver V8 231.005161.4 x64 C:Cadence(Sigrify2023.1/tools/bin/power Celsius DC 231.005161.4 x64 C:Cadence(Sigrify2023.1/tools/bin/power Celsius Thermal Solver Caliny Advanced P1 231.005161.4 x64 C:Cadence(Sigrify2023.1/tools/bin/power Celsius Thermal Solver V8 231.005161.4 x64 C:Cadence(Sigrify2023.1/tools/bin/power Celsius Thermal Solver V8					
CAD Translators OAD Translators OAD Translators OAD Translators OAD StassPD Consistent of the second state of the second	Cadence Sigrity Suite Manag	er		_	
OSN2SPD Volus IC Power and Thermal Solution 23.1.0051614, x64 C:\Cadence\Sigrity2023.1/tools/bin/power OSS2SPD Celsius Thermal Soluer V8 23.1.0051614, x64 C:\Cadence\Sigrity2023.1/tools/bin/power OASIS2SPD Celsius Thermal Soluer V8 23.1.0051614, x64 C:\Cadence\Sigrity2023.1/tools/bin/power OASIS2SPD Celsius Thermal Soluer V8 23.1.0051614, x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius Thermal Soluer V8 23.1.0051614, x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius Advanced P1 23.1.0051614, x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DC 23.1.0051614, x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DC 23.1.0051614, x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DC Calarity Advanced P1 23.1.0051614, x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DC C:Cadence\Sigrity2023.1/tools/bin/power C:Cadence\Sigrity2023.1/tools/bin/power Celsius CD Calarity Advanced V1 23.1.0051614, x64 C:\Cadence\Sigrity2022.1/tools/bin/power Celsius CD Celsius Thermal Solution 22.1.5.03101.4, x64 C:\Cadence\Sigrity2022.1/tools/bin/power Celasity 3D Transient Solver Clari	▼ CAD Translators	Suite	Version Platform	FileName	
G0525PD Clarity IC Package Extraction Suite 23.1.0051614 x64 C:Cadence/Sigrity2023.1/tools/bin/power NDD25PD PowerDC 23.1.0051614 x64 C:Cadence/Sigrity2023.1/tools/bin/power RD5525PD PowerDC 23.1.0051614 x64 C:Cadence/Sigrity2023.1/tools/bin/power RD5525PD SPDLinks 23.1.0051614 x64 C:Cadence/Sigrity2023.1/tools/bin/power SPDLinks AMM Calisus Advanced PTI 23.1.0051614 x64 C:Cadence/Sigrity2023.1/tools/bin/power Celsius DC 23.1.0051614 x64 C:Cadence/Sigrity2023.1/tools/bin/power C:Cadence/Sigrity2023.1/tools/bin/power Celsius Advanced PI 23.1.0051614 x64 C:Cadence/Sigrity2023.1/tools/bin/power C:Cadence/Sigrity2023.1/tools/bin/power Celsius 2D Celsius 2D Calisius Thermal Solver 23.1.0051614 x64 C:Cadence/Sigrity2023.1/tools/bin/power Clarity 3D Transient Solver Clarity CP Ackage Extraction Suite 23.1.0051614 x64 C:Cadence/Sigrity2022.1/tools/bin/power Clarity 3D Transient Solver Clarity CP Ackage Extraction Suite 22.1.5.031014 x64 C:Cadence/Sigrity2022.1/tools/bin/power Clarity 3D Workbench OptimizePI Fetching product Icense information Enumerating Cadence products. Please wait Exerem </td <td>DSN2SPD</td> <td>Voltus IC Power and Thermal Solution</td> <td>23.1.0.05161.4 x64</td> <td>C:\Cadence\Sigritv2023</td> <td>.1/tools/bin/power</td>	DSN2SPD	Voltus IC Power and Thermal Solution	23.1.0.05161.4 x64	C:\Cadence\Sigritv2023	.1/tools/bin/power
NDD2SPD OASIS2SPD PADS2SPD RizSPD SPDLinks AMM Broadband SPICE Celsius DC Signity Advanced PT 23.10.05161.4	GDS2SPD	Clarity IC Package Extraction Suite	23.1.0.05161.4 x64	C:\Cadence\Sigrity2023	.1/tools/bin/power
OASIS2SPD PAD52SPD RIE2SPD SPDLinks AMM Broadband SPICE Celsius Advanced PI 23.1.0.05161.4 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Sigrity StarterPack 23.1.0.05161.4 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Sigrity Advanced PI 23.1.0.05161.4 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DC 23.1.0.05161.4 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DC 23.1.0.05161.4 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DC 23.1.0.05161.4 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DD Clarity Advanced PI 23.1.0.05161.4 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DD Clarity DV dvanced PI 23.1.0.05161.4 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius CFD Clarity 3D Transient Solver C:Lisius Thermal Solution 22.1.5.03101.4 x64 C:\Cadence\Sigrity2022.1/tools/bin/power Celsius CFD Celsius Thermal Solver V8 22.1.5.03101.4 x64 C:\Cadence\Sigrity2022.1/tools/bin/power Clarity 3D Transient Solver Exit Exit Exit Exit <tr< td=""><td>NDD2SPD</td><td>Celsius Thermal Solver V8</td><td>23.1.0.05161.4 x64</td><td>C:\Cadence\Sigrity2023</td><td>.1/tools/bin/power</td></tr<>	NDD2SPD	Celsius Thermal Solver V8	23.1.0.05161.4 x64	C:\Cadence\Sigrity2023	.1/tools/bin/power
PADS2SPD Celsius Advanced PTI 23.1.0.031614 x64 C:\Cadence\Sigrity2023.1/tools/bin/power RF2SPD SPDLinks Sigrity StarterPack 23.1.0.051614 x64 C:\Cadence\Sigrity2023.1/tools/bin/power AMM Broadband SPICE Calsius DC 23.1.0.051614 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DC 23.1.0.051614 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DD Calsius CD Calsius CD Calsius CD C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DD Celsius DD Calsius CD Calsius CD C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DD Calsius Thermal Solver 23.1.0.051614 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DD Calsius Thermal Solver C3.1.0.051614 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DD Celsius Thermal Solver 23.1.0.051614 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Celsius DD Calrity JD Transient Solver Colsus Thermal Solver V8 22.1.5.0.30114 x64 C:\Cadence\Sigrity2023.1/tools/bin/power Clarity JD Vorkbench Clarity3D Vorkbench Excessfully launched tool"C:\Cade	OASIS2SPD	PowerDC	23.1.0.05161.4 x64	C:\Cadence\Sigrity2023	.1/tools/bin/power
RIF2SPD 23.1.0.05161.4 x64 C:Cadence\Sigrity2023.1/tools/bin/power SPDLinks AMM Sigrity StarterPack 23.1.0.05161.4 x64 C:Cadence\Sigrity2023.1/tools/bin/power AMM Broadband SPICE Celsius Celsius/2023.1/tools/bin/power Sigrity Advanced PI 23.1.0.05161.4 x64 C:Cadence\Sigrity2023.1/tools/bin/power Celsius2D Celsius3D Celsius1DC 22.1.0.05161.4 x64 C:Cadence\Sigrity2023.1/tools/bin/power Celsius3D Celsius1DC 22.1.5.031014 x64 C:Cadence\Sigrity2023.1/tools/bin/power Celsius5CFD Clarity IC Package Extraction Suite 22.1.5.03101.4 x64 C:Cadence\Sigrity2022.1/tools/bin/power Celsius7D Celsius7D Celsius Thermal Solver V8 22.1.5.03101.4 x64 C:Cadence\Sigrity2022.1/tools/bin/power Celsius7D Celsius7D Celsius7D Celsius7D Celsius7D Celsius7D Clarity3D3Vorkbench LayoutWorkbench Clarity3D1.4 x64 C:Cadence\Sigrity2022.1/tools/bin/power Celsius7D PowerDC Speed2000 Generator Speed2000 Generator Successfully launched tool("C:Cadence\Sigrity2023.1/tools/bin/powerdc.exe - PSPOwerDC"). Successfully launched tool("C:Cadence\Sigrity2023.1/tools/bin/powerdc.exe - PSPOwerDC"). <td< td=""><td>PADS2SPD</td><td>Celsius Advanced PTI</td><td>23.1.0.05161.4 x64</td><td>C:\Cadence\Sigrity2023</td><td>.1/tools/bin/power</td></td<>	PADS2SPD	Celsius Advanced PTI	23.1.0.05161.4 x64	C:\Cadence\Sigrity2023	.1/tools/bin/power
SPDLinks Signity StarterPack 23.1.0.05161.4 x64 C.\Cadence\Signity2023.1/tools/bin/power AMM Broadband SPICE Clarity Advanced PI 23.1.0.05161.4 x64 C.\Cadence\Signity2023.1/tools/bin/power Celsius Celsius Collarity Advanced PI 23.1.0.05161.4 x64 C.\Cadence\Signity2023.1/tools/bin/power CelsiusZD CelsiusThermal Solver 23.1.0.05161.4 x64 C.\Cadence\Signity2023.1/tools/bin/power CelsiusZD CelsiusThermal Solver 23.1.0.05161.4 x64 C.\Cadence\Signity2023.1/tools/bin/power CelsiusZD CelsiusThermal Solver 23.1.0.05161.4 x64 C.\Cadence\Signity2023.1/tools/bin/power CelsiusSD CelsiusThermal Solver 22.1.5.03101.4 x64 C.\Cadence\Signity2022.1/tools/bin/power CelsiusThermal Solver Clarity3D2workbench Clarity3D2workbench Clarity3D2workbench LayoutWorkbench DowerST PowerST PowerST PowerST PowerST PowerST Successfully launched tool("C.\Cadence\Signity2023.1/tools/bin/powerdc.exe -PSPOwerDC"). Successfully launched tool("C.\Cadence\Signity2023.1/tools/bin/powerdc.exe -PSPOwerDC"). SpeedZ000 Generator SpeedZ000 Generator Exit Tax About Who is using Lic	RIF2SPD	Celsius DC	23.1.0.05161.4 x64	C:\Cadence\Sigrity2023	.1/tools/bin/power
AMM Signty Advanced PI 23.1.0.05161.4 x64 C:\Cadence\Signty2023.1/tools/bin/power Broadband SPICE Celsius 2 23.1.0.05161.4 x64 C:\Cadence\Signty2023.1/tools/bin/power Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D Celsius 2D C.\Cadence\Signty2023.1/tools/bin/power Celsius 7D Celsius 7D Celsius 7D Celsius 7D Celsius 7D OptimizePI PowerDC Soversil PowerSi Successfully annched tool("C.\Cadence\Sigrity2023.1/tools/bin/powerdc	SPDLinks	Sigrity StarterPack	23.1.0.05161.4 x64	C:\Cadence\Sigrity2023	.1/tools/bin/power
Broadband SPICE Clarity Advanced IC Package Extraction Suite 23.1.0.05161.4 x64 C.\Cadence\Sigrity2023.1/tools/bin/power Celsius CelsiusSD CelsiusSD CelsiusSD CelsiusCPD CelsiusCPD CelsiusSD CelsiusSD CelsiusSD CelsiusSD CelsiusSD CelsiusSD CelsiusSD CelsiusSD CelsiusSD CelsiusSD CelsiusSPD CelsiusSPD CelsiusSD CelsiusThermal Solver V8 22.1.5.03101.4 x64 C.\Cadence\Sigrity2022.1/tools/bin/power CelsiusThermal Solver V8 22.1.5.03101.4 x64 C.\Cadence\Sigrity2022.1/tools/bin/power CelsiusThermal Solver V8 22.1.5.03101.4 x64 C.\Cadence\Sigrity2022.1/tools/bin/power CelsiusThermal Solver V8 22.1.5.03101.4 x64 C.\Cadence\Sigrity2022.1/tools/bin/power CelsiusThermal Solver V8 22.1.5.03101.4 x64 C.\Cadence\Sigrity2022.1/tools/bin/power CelsiusThermal Solver V8 22.1.5.03101.4 x64 C.\Cadence\Sigrity2023.1/tools/bin/power CelsiusThermal Solver V8 22	AMM	Sigrity Advanced PI	23.1.0.05161.4 x64	C:\Cadence\Sigrity2023	.1/tools/bin/power
Celsius Celsius Thermal Solver 23.1.0.05161.4 x64 C.\Cadence\Sigrity2023.1/tools/bin/power Celsius2D Celsius2D Clarity 12 Deakage Extraction Suite 22.1.5.03101.4 x64 C.\Cadence\Sigrity2022.1/tools/bin/power Celsius2D Celsius2D Celsius2D Celsius2D Celsius2D Celsius2D Celsius2D Celsius2D Celsius2D Celsius2D Celsius2D Carity3D7 Carity3D7 Celsius2D Celsius2D Celsius2D Celsius2D Celsius2D Celsius2D Clarity3D7 Clarity2022 Clarity2D2 Celsius2D<	Broadband SPICE	Clarity Advanced IC Package Extraction Suite	23.1.0.05161.4 x64	C:\Cadence\Sigrity2023	.1/tools/bin/power
Celsius2D Voltus IC Power and Thermal Solution 22.1.5.03101.4 x64 C\Cadence\Sigrity2022.1/tools/bin/power Celsius2D Celsius2D Clarity IC Package Extraction Suite 22.1.5.03101.4 x64 C\Cadence\Sigrity2022.1/tools/bin/power Celsius2D Clarity IC Package Extraction Suite 22.1.5.03101.4 x64 C\Cadence\Sigrity2022.1/tools/bin/power Celsius7D Clarity IC Package Extraction Suite 22.1.5.03101.4 x64 C\Cadence\Sigrity2022.1/tools/bin/power Celsius7D Clarity3D Workbench Information for Tools and License Clarity3D LayoutWorkbench OptimizePI Fetching suite license information Fetching suite license information PowerDC PowerSI Successfully launched tool("C\Cadence\Sigrity2023.1/tools/bin/powerdc.exe -PSSLNK"). Successfully launched tool("C\Cadence\Sigrity2023.1/tools/bin/powerdc.exe -PSPowerDC"). SpeedEM Generator Successfully launched tool("C\Cadence\Sigrity2023.1/tools/bin/powerdc.exe -PSPowerDC"). Exit About Who is using License Server Exit	Celsius	Celsius Thermal Solver	23.1.0.05161.4 x64	C:\Cadence\Sigrity2023	.1/tools/bin/power
Celsius3D Clarity IC Package Extraction Suite 22.1.5.03101.4	Celsius2D	Voltus IC Power and Thermal Solution	22.1.5.03101.4 x64	C:\Cadence\Sigrity2022	.1/tools/bin/power
CelsiusCFD Clarity 3D Transient Solver PowerDC PowerS1 PowerS1 PowerS1 PowerTree SpeedEtM Generator SpeedEtM Generator Total Total Mbout Who is using License Server Exit	Celsius3D	Clarity IC Package Extraction Suite	22.1.5.03101.4 x64	C:\Cadence\Sigrity2022	.1/tools/bin/power
Clarity 3D Transient Solver Information for Tools and License Clarity3D/Workbench Enumerating Cadence products. Please wait LayoutWorkbench License initialization Pointing2P1 Fetching suite license information PowerDC Successfully launched tool("C:\Cadence\Sigrity2023.1/tools/bin/powerdc.exe -PSSLNK"). Speed2000 Generator Successfully launched tool("C:\Cadence\Sigrity2023.1/tools/bin/powerdc.exe -PSPowerDC"). SpeedEM Generator Toa Toa About Who is using License Server Exit	CelsiusCFD	Celsius Thermal Solver V8	22.1.5.03101.4 x64	C:\Cadence\Sigrity2022	.1/tools/bin/power
Clarity3DLayout Information for Tools and License Clarity3DWorkbench Enumerating Cadence products, Please wait LayoutWorkbench License infilialization PowerDC Finished fetching product icense information. Data is ready. PowerSI Successfully launched tool("C:\Cadence\Sigrity2023.1/tools/bin/Amm.exe -PSSLNK"). Speed200 Generator Successfully launched tool("C:\Cadence\Sigrity2023.1/tools/bin/powerdc.exe -PSPowerDC"). Speed200 Generator Successfully launched tool("C:\Cadence\Sigrity2023.1/tools/bin/powerdc.exe -PSPowerDC"). About Who is using License Server Exit 2 Uninstallation	Clarity 3D Transient Solver				
Clarity3D/Workbench Enumerating Cadence products. Please wait LayoutWorkbench DifmizePl PowerDC Fetching stute license information PowerDS Successfully launched tool("C\Cadence\Sigrity2023.1/tools/bin/Amm.exe -PSSLNK"). Speed2000 Generator Successfully launched tool("C\Cadence\Sigrity2023.1/tools/bin/powerdc.exe -PSPowerDC"). SpeedEM Generator Taya Taya About Who is using License Server Exit	Clarity3DLayout	Information for Tools and License			
LayoutWorkbench License initialization OptimizePI Fetching subtle license information PowerDC Finished fetching product license information. Data is ready. PowerS1 Successfully launched tool("C:\Cadence\Sigrity2023.1/tools/bin/Amm.exe -PSSLNK"). Speed2000 Generator Successfully launched tool("C:\Cadence\Sigrity2023.1/tools/bin/powerdc.exe -PSPowerDC"). SpeedEM Generator Trae About Who is using License Server Exit	Clarity3DWorkbench	Enumerating Cadence products. Please wait			
OptimizePI Fetching suite license information PowerDC Finished tetching product license information. Data is ready. PowerS1 Successfully launched tool("C:\Cadence\Sigrify2023.1/tools/bin/Amm.exe -PSSLNK"). SpeedEX0 Generator SpeedEM Generator T28 About Who is using License Server Exit	LayoutWorkbench	License initialization			
PowerDC Finished fetching product license information. Data is ready. PowerSI Successfully launched tool/"C\Cadence\Sigrity2023.1/tools/bin/Amm.exe +PSSLNK"). PowerTree Speed2000 Generator SpeedEM Generator Trae About Who is using License Server Exit	OptimizePI	Fetching suite license information			
PowerSI Successfully launched tool("C:\Cadence\Sigrity2023.1/tools/bin/Amm.exe -PSSLNK"). PowerTree Speed2000 Generator SpeedEW Generator T38 About Who is using License Server Exit	PowerDC	Finished fetching product license information. D	ata is ready.		
PowerTree Speed2000 Generator SpeedEM Generator T78 About Who is using License Server Exit Uninstallation	PowerSI	Successfully launched tool("C:\Cadence\Sigrity2	023.1/tools/bin/Amm.exe -PSSL	NK").	
Speed2000 Generator SpeedEM Generator 728 About Who is using License Server Exit	PowerTree	Successfully launched tool("C:\Cadence\Sigrity2	023.1/tools/bin/powerdc.exe -P	'SPowerDC'').	
SpeedEM Generator T7R About Who is using License Server Exit Uninstallation	Speed2000 Generator				
About Who is using License Server Exit	SpeedEM Generator				
About Who is using License Server Exit	T2R				
2 Uninstallation		About	Who is using Lic	ense Server	Exit
2 Uninstallation					
2 Uninstallation					
	2 Uninstallation	CP.			

如果想要卸除任何程序,可以依照以下步骤操作。

- 在以下路径找到要卸载的程序。 2.1
- 2.2 点选右键卸载即可。

	2.2 点选右	键卸载即可。
0	← 設定	GL.
	命 首頁	應用程式與功能
	尋找設定	AWR Design Environment 16 (16.01.12506.1) 64-bit 2.59 GB
105	應用程式	Bandizip 2021/4/7
350	IE 應用程式與功能	Cadence Download Manager
	四, 離線地圖	Cadence License Manager 20.01-s002
	D 以應用程式開啟網站	20.01.0002
	□□ 影片播放	修改解除安装
8	₽ 啟動	Cadence OrCAD and Allegro (Incl ADW) 17.2 2021/4/12
).		Cadence OrCAD and Allegro 17.4-2019 2022/6/1
		Cadence Sigrity 2019 2021/4/12
		Cadence Systems Analysis Sigrity 2021.1 2022/5/9
		Cadence Systems Analysis Sigrity 2022.1 2022/8/23
		CCleaner 2021/4/7
	-10	Cisco Webex Meetings 297 MB

Note :

Grasen

要执行 Sigrity 2023 您必须安装最新的 Cadence License Manager 20.01 (FLEXnet License Manager version 11.17.1.0 或更新),并搭配新的 License。因此需先卸除旧版的 License Manager •

□ × ſ

Graser



疑难解答

如遭遇无法正常启用 License 的情况,请执行下列步骤尝试排除问题: Graser

关闭防病毒软件及防火墙。 1

💣 自訂設定					- 1
← → • ↑	🔗 > 控制台 > 所有控制台項目	→ Windows Defender 防火牆 → 自訂設定	~ ⊽	搜尋控制台	
	自	訂每個網路類型的設定			
	您	可以為您使用的每個網路類型修改防火牆設定。			
	網	域網路設定			
		〇開啟 Windows Defender 防火牆			
		■封鎖所有連入連線,包括來自允許的應用程式清單中之應用程式的連入連線			
		✓ 當 Windows Defender 防火牆封鎖新的應用程式時請通知我			
		● 願閉 Windows Defender 防火牆 (不建議)			
	私	人網路設定			
		〇 開啟 Windows Defender 防火牆			
		□封鎖所有連入連線,包括來自允許的應用程式清單中之應用程式的連入連線			
	_	☑ 當 Windows Defender 防火牆封鎖新的應用程式時請通知我			
		● 開閉 Windows Defender 防火牆 (不建議)			
	(公)	用網路設定			
		✓ ○ 開飯 Windows Defender 防火牆			
		■封鎖所有連入連線,包括來自允許的應用程式清單中之應用程式的連入連線			
	_	✓ 當 Windows Defender 防火牆封鎖新的應用程式時請通知我			
		● 關閉 Windows Defender 防火牆 (不建議)			
	· · · · · ·				

2 确认 client 端与 License server 之间的联机是否畅通。 在 Windows 的执行窗输入 CMD 指令 以开启 DOS 窗口,并输入 ping License server 计算机名 称。



Grasel

Q



3 确认用户计算机环境变量中 CDS_LIC_FILE 的设定是否正确对应到 5280@License Server 计算机名称。

License Server 可以有多个存在,中间需用分号隔开,License 会先去抓取较前面的 Server,如抓 取不成功,再依序抓取后面的 Server。

Ex : 🔿

设定 5280@Chenyun-T430s;5280@spbserver

会先抓取 Chenyun-T430s 这台的 Server License · 如未抓取成功 · 程序会再抓取 5280@spbserver 这台的 Server License ·

 ← → < ↑ ◆ 2 ◆ 2 ◆ 2 ● 2	性 > 系統 ×	環境變數		
控制台首頁 条統內容 發置管理員 電腦名稱 硬體 進階	×			
▶ 裝置管理員 電腦名稱 硬體 進階		chenyun 的使用者變	(史)	
 ♥ 這端設定 您必須以条統管理員的 ♥ 進階条統設定 ☆能 	条統保護 這端 身分登入,才能變更這裡的大部分說定。	變數 CDS_LIC_FILE CDS_LIC_ONLY OneDrive	値 ^ 5280@Chenyun-T430s;5280@spbserver 1 C:\Users\chenyun.GRASER\OneDrive	
視覺奴果、處理議群相	、紅僧爾伊布爾和盧凝紅傳體 設定(S)	Patn 卡統變數(S)	C. (USBS) CriteriyUn, GKASEK/AppUata/LOC 新境(N) 編輯(E) 删除(D)	
關於您登入時的桌面	定 設定(£)	日本 一 提会 CDS_LIC_FILE CDS_LIC_FILE	4± 5280@Chenyun-T430s;5280@spbserver	3
啟動及修復 系統啟動、系統失敗	及偵鑽資訊 設定(T)	DriverData	C.(WiNdOWS/System32)(Drivers)DriverData C.(Windows/System32)(Drivers)DriverData 新增(W) 编程() 删除(L)	
	2 環境競數(N)		確定 取消	
請參閱 安全性與維護	確定 取満	1		

4 请确认所登入的 User 账号拥有本机完整的 Administrator 管理者的操作权限,并且确认对 C:\Cadence 文件夹拥有完整的控制权限。





- 5 人工设定 License Server 操作步骤。
 - 5.1 当无法使用 LicenseServerConfiguration 程序设定顺利成功时,请先用文字处理器 (例如记事本,Wordpad...) 打开有 License 字样的档案,内容类似如下: 请先确认以下红框处与你的序号数据有相符
 - 5.1.1 网卡认证:网卡序号。

5.1.2 USB 认证: USB 上的序号。

		名稱	修改日期	類型	大小
★ 快速存取		17.4	2019/12/10 上午	檔案資料夾	
果田	A	2018	2019/12/9 下午 0	檔案資料夾	
🗐 文件	*	2019	2019/12/10 上午	檔案資料夾	
■ 圖片	*		2019/12/10 上午	檔案資料夾	
ChenYun	1	LicenseManager	2019/12/11 下午	檔案資料夾	
ChenYun	*	Sigrity2018	2019/12/10 上午	檔案資料夾	
install		Sigrity2019	2019/12/11 上午	檔案資料夾	
LicenseManager		Hotfix_SIG18.00.004_wint_1of1 .ex	xe 2019/12/9 上午 1	應用程式	2,890,573
PowerDC		Hotfin SDB17 20.062 mint 1 of1 on	<u>2010/12/0 ⊢</u>	## FR 4모 #*	2,050,200 1
		License_89039_FLEXID=9-485C48	3 B2_4 2019/7/2 下午 04	文字文件	120 k

DAEMON cdslmd ./cdslmd # DO NOT REMOVE THE USE_SERVER LINE USE SERVER

FEATURE 100 cdslmd 4.4 29-jul-2019 1 4E5E77C9A44E1E8EA037 \ VENDOR_STRING=UHD:PERM DUP_GROUP=UHD vendor_info=25-apr-2019 \ ISSUER=CDNS802696cc17e9be63e290b5e460ed7baa ISSUED=25-apr-2019 \ SN=2019-04-25T21:39:10.028 SIGN2="1B2A 78AA 6D37 B708 B97E \ 4A6D AE6B DEE7 D6D5 19B5 0289 F3F5 89E3 8797 78E9 17E9 2AE6 \ 9FF6 B700 268C 7436 443B 4D9A 33A1 AA22 B0B3 B66F EE33 A429 \ 9749" V7.1_LK=5E7E6769A542069CA92D FEATURE 111 cdslmd 6.17 29-jul-2019 2 9E0E5729FBC1211DC288 \

5.2 将 Cadence_SERVER 字符串字段部分,修改成您的 License Server 主机名 (ex:我计算机名

称为 Chenyun-T430s)

SERVER	Chenyun-T430s FLEXID=9-485C48B2 5280	
# DO NOT	REMOVE THE USE_SERVER LINE	
JSE_SERV	VER	
FEATURE	100 cdslmd 4.4 29-jul-2019 1 4E5E77C9A44E1E8EA037 \	
	VENDOR_STRING=UHD:PERM_DUP_GROUP=UHD_vendor_info=25-apr-2019 \	
	ISSUER=CDNS802696cc17e9be63e290b5e460ed7baa ISSUED=25-apr-2019 \	
	SN=2019-04-25121:39:10.028 SIGN2="IB2A 78AA 6D37 B708 B97E \	
	48.00 RE68 DEE7 D6D5 1985 0289 F3F5 89E3 8797 78E9 17E9 28E6 \	
	9FF0 5/00 2080 /430 4435 4D9A 33AI AA22 5053 500F EE33 A429 \ 0740" UT 1 LK_FETECTCONEADOGOCAODD	
20 A THDD	9/49 V/.I_LK=3E/E0/09K342009CK92D	
CEATURE	VENDAD STDIMG-HHD.DEDM DHD GDAHD-HHD wandar infa-25 anr 2010 \	
	ISSUFP-CDNSRO2606cc17a0ba63a200b5a460ad7baa ISSUFD-25_apr-2010	
	1550ER-CM500205000176506056250056400607088 1550ED-25-ap1-2015 3	

5.3 修改好后,将档案另存新档,并把档名命名为 license.dat,然后复制到 LicenseManager 安装路径下,将旧的 License File 予以取代。



5.5 确认相关档案设定后,点选 Save Service。

LMTOOLS by Flexera Softwar	re LLC		_	×
File Edit Mode Help				
Service/License File System Se	ettings Utilities Start/Stop/Reread Server S	Status Server Diags Config	Services Borrowing	1
Configure Service		2	Save Service	
Service Name	Cadence License Manager	• F	Remove Service	
Path to the Imgrd.exe file	C:\Cadence\LicenseManager\Imgrd.exe	Browse		
Path to the license file	C:\Cadence\LicenseManager\license.dat	Browse		
Path to the debug log file	C:\Cadence\LicenseManager\debug.log	Browse View	Log Close Log	
☑ Start Server at Po	wer Up 🔽 Use Services	T FlexNet Licensing Serv The FlexNet Licensing Serv	rice Required vice is required for opt	tional
		reatures such as virtualizati	on and trusted storag	е.



5.6 重新执行 License。

5.6.1 点选 Stop Server · 停止原先的 License 服务。

5.6.2 点选 ReRead License File,读取 License 档案内容。

5.6.3 点选 Start Server ·执行 License ·

5.6.4 确认 Server Start Successful 。



Graser

本版 Technic Note 版权为 苏州敦众软件科技有限公司 所有,未经允许不得任意转用。